

# TRAXX MONO

(SURFACE MOUNT)  
TRACK LIGHT SYSTEM

LUMEN™  
Truss




# TRAXX MONO (SURFACE MOUNT)

Track light system



Cross-section dimensions:




Elegant and powerful, the TRAXX surface mount from LumenTruss™ enhances the decorative elements or products you want to highlight. With its interchangeable heads providing 3 projection angles and a choice of 4 color temperatures, this spotlight is ideal for high-end applications. Its modular design, removable and tool-free, makes it an exceptionally versatile LED spotlight.

## FEATURES

- Lumen output (15W) 1200lm - 4000K
- Lumen output (8W) 465lm - 4000K
- 8W & 15 W, 120V, 50,000 hours.
- interchangeable projection angles : 15°, 38° and 60°.
- Four color temperatures to choose from: 2700K, 3000K, 3500K and 4000K.
- With a CRI of 95+.
- ELV dimming.
- Integrated driver
- CAMETA anti-glare design with protective angle to reduce glare.
- Can be used with most dimmers with variable intensity.
- Integral regulators, isolated circuit.
- Passive cooling achieved through innovative thermal design.

## ELV DIMMING
















# TRAXX Mono ordering sheet

# Track light system

SPOTLIGHT COLOR	INPUT POWER	COLOR TEMPERATURE	BEAM ANGLE	MOUNTING TYPE	ACCESSORIES*	QUANTITY
 TRX1 - Spotlight, black	8	27 - 2700K (special order)*	15 - 15 degrees	SUR - Surface mount	*Black or white depending on the spotlight color.  SN - Snoot nozzle  HC - Honey comb nozzle  OV - Oval nozzle  NO - No accessories	
	15	30 - 3000K (in stock) 35 - 3500K (special order)* 40 - 4000K (in stock)	38 - 38 degrees 60 - 60 degrees			*Delivery times will be longer for special orders.
 TRX2 - Spotlight, White						
SPOTLIGHT COLOR	INPUT POWER	COLOR TEMPERATURE	BEAM ANGLE	SUR	ACCESSORY	QUANTITY
SPOTLIGHT COLOR	INPUT POWER	COLOR TEMPERATURE	BEAM ANGLE	SUR	ACCESSORY	QUANTITY
SPOTLIGHT COLOR	INPUT POWER	COLOR TEMPERATURE	BEAM ANGLE	SUR	ACCESSORY	QUANTITY
SPOTLIGHT COLOR	INPUT POWER	COLOR TEMPERATURE	BEAM ANGLE	SUR	ACCESSORY	QUANTITY

# NOTES





## CONTACT US

**ADDRESS**  
9221 Edison  
Montreal, Quebec,  
H1J 1T4, Canada

**FAX**  
1.514.903.0649

**EMAIL**  
[info@lumentruss.com](mailto:info@lumentruss.com)

**PHONE**  
1.855.384.3384

**WEBSITE**  
[www.lumentruss.com](http://www.lumentruss.com)



**MADE IN  
NORTH AMERICA**

**LUMEN™  
Truss**